

Avoid:

Crowded Places, Close Contact, Confined Spaces



Coronavirus Disease 2019 (COVID-19)

Situation Report – Week 42 (Oct 11 – Oct 17)

ECDHD COVID-19 HOTLINE: English/Spanish: 402.562.8960

Data curated by DHHS and ECDHD; current as of 05:00 23 Oct 2020

Highlights

- Four new COVID-19-related deaths have been reported to the health district this week in Colfax and Platte County, three were previously pending, the other is pending a final death certificate. One death attributed to Nance County was attributed to Platte County
- There are currently 14 COVID-19 hospitalizations within the health district and 1 available ICU Bed.
- COVID-19 hospitalizations within Nebraska have continued to set new records this week, with a new record level of 400 active hospitalizations on 10/21/2020.
- Platte County ranks sixth in Nebraska for the 14-day average of new cases.
- The majority of new cases continue to be community spread.
 Social events small and large have been the primary source of these outbreaks.
- Rising COVID-19 hospitalizations both locally and across the State and the dramatic increase in hospital resource utilization have the potential to overwhelm local and State medical and public health resources within the next two to three weeks at the current rate.
- There is growing concern among health officials and community leaders for our community's ability to maintain our health systems and school districts if cases continue in the current direction. Residents must take immediate action to slow the community spread.
- ECDHD asks that those in both isolation (those that are sick) or in quarantine (have been exposed to a known positive case) separate themselves from others in the home to avoid exposing or being exposed to household members. This includes wearing a mask at home and sleeping in a different area of the house. More information can be found here:

 $\frac{https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/steps-when-sick.html}{}$

 The most current ECDHD data can be found at: https://bit.ly/30tlYAk

SITUATION IN NUMBERS

Boone County

Total cases: 136
New cases (7 days): 16
New cases (14 days): 25
Deaths: 1 (pending)
New deaths (7 days): 0
Total incidence per 100k: 2,389
Week 42 incidence per 100k: 211.9
Overall % positive: 9.3%
Week 42 % positive: 14.1%

Colfax County Total cases: 882

New cases (7 days): 40 New cases (14 days): 76 Deaths: 7 New deaths (7 days): 2 Total incidence per 100k: 7,891 Week 42 incidence per 100k: 345.5 Overall % positive: 31.8%

Total Health District

Week 42 % positive: 36.6%

Total cases: 2,554
New cases (7 days): 229
New cases (14 days): 360
Deaths: 16 (2 pending)
New deaths (7 days): 1
Total hospitalizations: 14
Available ICU beds: 1
Available Ventilators: 8
Total incidence per 100k: 4,4491
Week 42 incidence per 100k: 359.2
Overall % positive: 11.4%
Week 42 % positive: 15.3%

Nance County

Total cases: 76
New cases (7 days): 10
New cases (14 days): 13
Deaths: 0
New deaths (7 days): 0
Total incidence per 100k: 1,961
Week 42 incidence per 100k: 255.8
Overall % positive: 8.4%
Week 42 % positive: 8.3%

Platte County

Total cases: 1,460 New cases (7 days): 157 New cases (14 days): 246 Deaths: 8 (1 pending) New deaths (7 days): 2 Total incidence per 100k: 3,995 Week 42 incidence per 100k: 397.4 Overall % positive: 9.8% Week 42 % positive: 21.1%

Last Week

Total cases: 2,325
New cases (7 days): 138
New cases (14 days): 221
Deaths: 15 (5 pending)
New deaths (7 days): 2 (1 pending)
Total hospitalizations: 12
Available ICU beds: 4
Available Ventilators: 8
Total incidence per 100k: 4,132
Week 41 incidence per 100k: 203
Overall % positive: 12.4%
Week 41 % positive: 13.7%

Test Nebraska Result Turnaround (14-day avg.): 96.0 hours











Platte County




Figure 1. Positive cases by epidemiological week in Boone, Colfax, Nance, and Platte Counties.




Figure 2. Population-adjusted rate of incidence by epidemiological week (rate per 100,000 people).




Figure 3. Total and positive number of daily COVID-19 tests.




Figure 4. Seven-day average of confirmed cases within East Central District




Figure 5. Percentage of COVID positive cases by age group for the East Central Health District




Figure 6. Percentage of COVID positive cases by gender East-Central Health District

COVID RED: Severe COVID-19 Pandemic Outbreak

- Widespread community or regional transmission of COVID
- . There is a significant increase in COVID positive cases OR percent positive cases which may potentially overwhelm the local healthcare system
- · There is a significant increase in Flu-Like Symptoms and COVID-like syndromic cases which may potentially overwhelm the local healthcare system
- Hospitals are utilizing Surge Capacity
- There is an inadequate testing capacity for critical workers
- · There is inadequate capacity to conduct investigation and contact tracing
- · There are shortages of critical medical equipment or testing supplies
- There are PPE shortages impacting critical workers

General Public	Outside the Home – Work, Social, in Public	At Home
Physical Distancing	 Stay at home unless essential personnel traveling for work, or general public acquiring medical care or food Distance at least 6 feet from anyone outside the home Work from home No contact with others 	No distancing for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Self-isolation of symptomatic persons
Face Covering	Face coverings when outside of the home and near others	No fage coverings for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Face coverings for symptomatic people
Hand Washing	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible 	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating
Illness Monitoring	 If ill with Flu-like or COVID-like symptoms, Stay at Home even for essential personnel Minimize contact with symptomatic people Daily temperature checks at work 	Daily temperature check Continuously monitor for COVID-19 symptoms Self-isolation of symptomatic persons Contact healthcare provider if sick Monitor the health of anyone in your home with COVID-like symptoms
Disinfecting	 Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures) 	Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures)
At-Risk or Vulnerable Population	 For those over age 65, people with underlying health conditions, and other populations at heightened ris Stay home Rely on help for needs outside the home (groceries, medications, etc.) Distance from those working outside of the home 	k from COVID-19

COVID ORANGE: Elevated COVID-19 Spread Risk

- · There are increasing or high stable numbers of COVID positive cases OR percent positive cases due to community or regional spread
- There is an increase in Flu-Like Symptoms OR COVID like syndromic cases in the East Central Health District or regionally
- Clusters or outbreaks exist that are still likely in their early stages
- There is only enough testing available for symptomatic people
- . ECDHD must rely on assistance to conduct investigation for new cases and associated and contact tracing OR ECDHD must assist adjacent jurisdictions to conduct investigation and contact tracing
- PPE supplies are only adequate for critical workers
- Critical medical equipment is in limited supply

General Public	Outside the Home – Work, Social, In Public	At Home
Physical Distancing	Stay at home unless traveling for work, medical care, or food Distance at least 6 feet from anyone outside the home Work from home if possible Individual outdoor activities such as walking, biking, etc. are acceptable Smallest number of contacts feasible	No distancing for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Self-isolation of symptomatic persons Outdoor activities with members of your household are acceptable
Face Covering	Face coverings strongly recommended for anyone over 2 years old	No face coverings for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Face coverings for symptomatic people
Hand Washing	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible 	Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/ touching face, or before eating
Illness Monitoring	If sick with Flu-like or COVID-like symptoms, Stay at Home Minimize contact with symptomatic people Daily temperature checks at work	Daily temperature checks Monitor for COVID-like symptoms Contact healthcare provider if sick Monitor the health of anyone in your home with COVID-like symptoms
Disinfecting	 Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures) 	Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures)
At-Risk or Vulnerable	For those over age 65, people with underlying health conditions, and other populations at heightened risk from COVID-19	
Population	 Stay home Rely on help for needs outside the home (groceries, medications, etc.) Distance from those working outside of the home 	

COVID Yellow: Moderate Risk of COVID-19 Spread

- · There is a downward trajectory in numbers of COVID positive cases OR percent positive cases due to community or regional spread
- . There is a downward trajectory in levels of Flu-Like Symptoms OR COVID like syndromic cases in East Central Health District County or regionally
- · There is limited community spread within East Central Health District or regionally
- COVID has a small impact on the local healthcare system capacity
- PPE supplies are adequate for critical workers and community needs
- Rapid COVID testing is available for all suspected cases and focused asymptomatic surveillance.
- · ECDHD is able to conduct investigation and contact tracing for new cases and associated contacts without assistance
- Critical medical equipment is readily available

General Public	Outside the Home – Work, Social, In Public	At Home
Physical Distancing	 Consider staying at home most of the time, with caution for non-essential travel and work Distance at least 6 feet from anyone outside the home Work from home if possible Individual outdoor activities such as walking, biking, etc. are acceptable Cautious expansion of interactions with others, outdoor activities preferred Gatherings only with modifications for COVID-19 Events only as guided by ECDHD 	 No distancing for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Self-isolation of symptomatic persons Outdoor activities with distancing are acceptable.
Face Covering	Face coverings strongly recommended for anyone over 2 years old	No face coverings for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Face coverings for symptomatic people
Hand Washing	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible 	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/ touching face, or before eating
Illness Monitoring	If ill with Flu-like or COVID-like symptoms, Stay at Home Minimize contact with symptomatic people Daily temperature checks at work	Monitor for COVID-like symptoms
Disinfecting	 Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures) 	Enhanced disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures)
At-Risk or Vulnerable	For those over age 65, people with underlying health conditions, and other populations at heightened risk from COVID-19	
Population	 Stay home Rely on help for needs outside the home (groceries, medications, etc.) Distance from those working outside of the home 	

COVID Green: Low Risk of COVID-19 Spread

- Minimal cases of COVID-19 within the community.
- COVID-19 has minimal impact on local healthcare system
- Viral testing is readily available
- There are effective treatment modalities for COVID-19
- PPE is easily obtainable through standard supply chains

General Public	Outside the Home – Work, Social, In Public	At Home
Physical Distancing	 No distancing, resumption of normal work and community life Resume normal travel with considerations of COVID activity in destinations 	No distancing for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Self-isolation of symptomatic persons
Face Covering	Face coverings suggested when unable to distance Face coverings for symptomatic people	No face coverings for people without symptoms, unless they are under quarantine as a result of being exposed to someone who is infected Face coverings for symptomatic people
Hand Washing	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible 	 Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/ touching face, or before eating
Illness Monitoring	If ill with Flu-like or COVID-like symptoms, Stay at Home Minimize contact with symptomatic people	Be aware of COVID-like symptoms Contact medical care provider if you have COVID-like symptoms
Disinfecting	 Increased awareness of germ transmission through high contact surfaces Incorporation of COVID-19 disinfection practices for high touch surfaces Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Normal disinfection, especially for high contact surfaces (door/other handles, light switches, bathroom fixtures) 	 Increased awareness of germ transmission through high contact surfaces Normal disinfection practices, with consideration for high contact surfaces (door/other handles, light switches, bathrooms)
At-Risk or Vulnerable	For those over age 65, people with underlying health conditions, and other populations at heightened risk from COVID-19	
Population	 You do not have to stay home at all times, but should continue physical distancing when possible in public settings. Cautious expansion of interactions with others, reengage in small social settings, outdoor activities preferred Avoid large group settings and events with many people 	

STRATEGIC OBJECTIVES

ECDHD's strategic objectives for this response are to:

- Interrupt human-to-human transmission including to reduce secondary infections among close contacts and health care workers, prevent transmission amplification events, and prevent further spread.*
- Identify, isolate and care for patients early, including to provide optimized care for infected patients.
- Communicate critical risk and event information to all communities and counter misinformation.
- Minimize social and economic impact through multisectoral partnerships.

*This can be achieved through a combination of public health measures, such as rapid identification, diagnosis and management of the cases, identification and follow-up with contacts, partnership in infection prevention and control in health care settings, implementation of health measures for travelers, raising awareness in the population and risk communication.

RECOMMENDATIONS AND ADVICE FOR THE PUBLIC

Get the facts on COVID-19 from reliable sources to help you accurately determine your risks so that you can take reasonable precautions. Seek guidance from your healthcare provider, ECDHD, DHHS, CDC, or your employer for accurate information on COVID-19.

It is important to be informed of the situation and take appropriate measures to protect yourself and your family. For most people, COVID-19 infection will cause mild illness; however, it can make some people very ill and, in some people, it can be fatal. Older people, and those with pre-existing medical conditions (such as cardiovascular disease, chronic respiratory disease or diabetes) are at greater risk for severe disease. Stay up to date with the latest information from the CDC here.

Information for Individuals¹

Outline of Changes to Upcoming Directed Health Measures Phase III http://dhhs.ne.gov/Documents/COVID-19-Outline-of-Changes-to-Upcoming-DHMs-Phase-III.pdf

Directed Health Measures in effect for East Central Health District for July http://dhhs.ne.gov/Documents/ECHD-DHM-July6.pdf

Centers for Disease Control and Prevention (CDC) https://www.cdc.gov/coronavirus/2019-ncov/index.html

Frequently Asked Questions: https://www.cdc.gov/coronavirus/2019-ncov/faq.html

Know the facts about coronavirus disease 2019 (COVID-19) and help stop the spread of rumors: https://www.cdc.gov/coronavirus/2019-ncov/about/share-facts-stop-fear.html

Information for Schools²

CDC Interim Guidance for Administrators of US Childcare Programs and K-12 Schools to Plan, Prepare, and Respond to Coronavirus Disease 2019 (COVID-19) https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/guidance-for-schools.html

¹ Information adapted from WHO guidance

² Information adapted from Douglas County Health Department

Frequently asked Questions about COVID-19: https://www.cdc.gov/coronavirus/2019-ncov/faq.html

Questions about COVID-19 in Children: https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/children-faq.html

COVID-19 in Pregnant Women: https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/pregnancy-faq.html

Planning for pandemic influenza can easily be adapted for COVID-19

CDC Get Your School Ready for Pandemic Flu (April 2017): https://www.cdc.gov/nonpharmaceutical-interventions/pdf/gr-pan-flu-ed-set.pdf

Information for Businesses

Reopening guidelines: http://dhhs.ne.gov/Documents/COVID-19-Outline-of-Changes-to-Upcoming-DHMs-Phase-II.pdf

Booth, Tabling, and Sales Event Guidance: http://dhhs.ne.gov/Documents/COVID-19-Booth-Tabling-and-Sales-Events-Guidance.pdf

Guidance for Estate and Farm Auctions: http://dhhs.ne.gov/Documents/COVID-19-Guidance-for-Estate-and-Farm-Auctions.pdf

Recommended Best Practices for Barbers and Salons: http://dhhs.ne.gov/Documents/COVID-19-Recommended-Best-Practices-for-Barbers-and-Salons.pdf

Restaurant In-Room Dining Reopening Guidelines: http://dhhs.ne.gov/Documents/COVID-19-Restaurant-In-Room-Dining-Reopening-Guidelines.pdf

CDC Web Page: Interim Guidance for Businesses and Employers to Plan and Respond to 2019 Novel Coronavirus (2019-nCoV), February 2020

<u>Coronavirus Preparedness: Tips and Resources for Managers and Employees</u> (Recommendations from USI Risk Services), March 2020

Information for Community-Based and Faith-Based Organizations and Assistance Agencies

Guidelines for the Conduct of Faith-Based Services Including Weddings and Funerals Held in Houses of Worship: http://dhhs.ne.gov/Documents/COVID-19-Guidelines-for-the-Conduct-of-Faith-Based-Services.pdf

Get Your Community- and Faith-Based Organizations Ready for Pandemic Flu - April 2017 (CDC)

Printable Flyer (pdf): COVID-19 - Stop the Spread of Germs English Spanish Simplified Chinese

Preparing individuals and communities: https://www.cdc.gov/coronavirus/2019-ncov/preparing-individuals-communities.html

Frequently asked Questions about COVID-19: https://www.cdc.gov/coronavirus/2019-ncov/faq.html

Questions about COVID-19 in Children: https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/children-faq.html

COVID-19 in Pregnant Women: https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/pregnancy-faq.html

Information for Healthcare Providers

Telehealth FAQ: http://dhhs.ne.gov/Documents/COVID-19%20General%20Statewide%20Telehealth%20FAQ.pdf

Nebraska Dental Association Office Reopening Guidance: http://dhhs.ne.gov/Documents/COVID-19-NebraskaDentalAssociation-Reopen%20Guidance.pdf

Checklist - to be prepared to evaluate patients for COVID-19: https://www.cdc.gov/coronavirus/2019-ncov/downloads/hcp-preparedness-checklist.pdf

Specimen collection and testing: https://www.cdc.gov/coronavirus/2019-nCoV/lab/guidelines-clinical-specimens.html

Infection Control: https://www.cdc.gov/coronavirus/2019-ncov/hcp/infection-control.html

NETEC: Personal Protective Equipment (PPE), Guidance on Donning and

Doffing: https://www.youtube.com/watch?y=08XRYOE6CAw&feature=youtu.be

Home care of people not requiring hospitalization (confirmed or being evaluated for COVID-

19): https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-home-care.html

Information for well travelers from China about COVID-19 - what they should do/watch

for: https://www.cdc.gov/coronavirus/2019-ncov/travelers/from-china.html

Information for Hospitals

Checklist - Hospital Preparedness: https://www.cdc.gov/coronavirus/2019-ncov/hcp/hcp-hospital-checklist.html

Infection Control: https://www.cdc.gov/coronavirus/2019-ncov/hcp/infection-control.html

NETEC: Personal Protective Equipment (PPE), Guidance on Donning and

Doffing: https://www.youtube.com/watch?v=08XRYOE6CAw&feature=youtu.be

<u>Long-term Care Response Planning Tool: http://dhhs.ne.gov/Documents/Long-Term-Care-COVID-19-Response-Planning-Tool.pdf</u>

Several additional resources available at: http://dhhs.ne.gov/Pages/COVID-19-Nebraska-Guidance-Documents.aspx